



## Built to Celebrate Styled to Lead

The SP125 Anniversary Edition celebrates those who lead with style and confidence. Its striking graphics and refined Pyrite Brown Metallic alloy wheels turn heads on every road.

Every detail is designed to make an impression,

crafted for riders who believe progress is as much about presence as it is about motion.

It's the SP125—now in a limited-edition look that stands apart.





The SP125 Anniversary Edition steps up with exclusive graphics. Designed to give you a standout look; this special edition celebrates a sense of style for the rider who rides with pride.

## 25 YEARS ANNIVERSARY LOGO ON FUEL TANK

A symbol of Honda legacy and celebration, etched right where it belongs, on a stylishly sculpted tank that reflects pride with every ride



## COLORED SPORTY SPLIT ALLOY WHEELS

Finished in striking Pyrite Brown
Metallic, the coloured sporty split alloy
wheels, along with
the matching brake panel, add a
premium edge that instantly sets the
SP125 Anniversary
Edition apart.



## AGGRESSIVE TANK DESIGN

A definite head-turner, the aggressive fuel tank adds to the dynamic personality of the SP125 Anniversary edition.

## SHARP LED DC HEADLAMP

A sure-shot style statement, the LED headlamp offers consistent illumination, no matter the conditions.




## REAR STANCE WITH SIGNATURE TAIL LAMP

The sculpted rear design seamlessly integrates the signature tail lamp with the body enhancing the design statement.



The stylish chrome muffler enhances the sporty looks.



## Technology that Dowers progress



#### TFT METER

Honda's class-leading TFT Meter that features an automatic dimming mode, enhancing visibility for seamless and power-packed ride, day and night. Always stay updated with the TFT meter which displays Live Mileage Indicator, Range, Average Mileage, Periodic Maintenance, Gear Position Indicator & Eco Indicator.



LIVE MILEAGE INDICATOR



**RANGE** 



AVERAGE MILEAGE

## Honda RoadSync App\*

- ◆ Manage messages via voice commands
- ◆ Real-time weather updates
- ◆ Turn-by-turn navigation
- ◆ Control music at your fingertips
- Manage calls directly

# Call Message Music

14°C Gurugram

#### **IDLING STOP SYSTEM**

Be advanced with the new Idling Stop System that automatically switches off the engine during brief stops, boosting fuel efficiency and making heavy traffic a smooth ride.



 $\hbox{$^*$Creative visualisation applied. Image shown is only for depiction purposes.}$ 




#### **eSP TECHNOLOGY**

Honda's Enhanced Smart Power (eSP) technology optimizes performance and mileage by minimizing friction. The ACG starter, seamlessly integrated with eSP, ensures ultra-silent starts, delivering a smoother and smarter riding experience.

#### SILENT START WITH ACG

Honda's unique ACG starter motor removes gear meshing noise and helps start the engine without a jolt.




### **PGM-FI 125cc ENGINE**

The intelligent engine delivers powerful performance while ensuring a cleaner, greener ride.

## FRICTION REDUCTION TECHNOLOGIES

HONDA

The piston cooling jet reduces friction and maintains optimum engine temperature. The offset cylinder and rocker roller arm further reduces the frictional losses in the engine.



## Comfort that Leeps up

#### **Universal 15W USB-C PORT**

Enjoy your ride. It provides quick charging to your smartphone, power bank, and earphones on the go.



Integrated smart single switch for passing signal and low/high beam.

## 3+7 YEARS WARRANTY PACKAGE

Enjoy complete peace of mind with a 10-year warranty (3 years standard + 7 years optional).

## Honda EXTENDED WARRANTY 10 YEAR\* COVERAGE

### **SEAL CHAIN**

The seal chain is low on maintenance and high on durability and provides a hassle-free riding experience.



## Safety

## SIDE STAND ENGINE CUT-OFF

Adds to the Safety of the rider, it cuts off the ignition if the Vehicle is put in gear when the side stand is engaged.

#### **WIDER REAR TYRE**

SP125 comes with wider rear tyre, which gives it better traction and grip to ensure better braking.

## 5-STEP ADJUSTABLE REAR SUSPENSION

It makes your ride comfortable across all road conditions.





## Technical Specification+

Longth	2027 mm
Length Width	785 mm
Height	1091 mm
Wheel Base	1285 mm
Ground Clearance	160 mm
Kerb Weight	Disc - 117 kg
Seat Length	678 mm
Seat Height	790 mm
Fuel Tank Capacity	11 L
Tuel fully Supucity	
Engine	
Туре	4 Stroke, SI Engine
Displacement	123.94 cc
Max Net Power	8 kW @ 7500 rpm
Max Net Torque	10.9 N-m @ 6000 rpm
Fuel System	PGM - FI
Bore X Stroke	50.0 X 63.1 mm
Compression Ratio	10.0:1
Starting Method	Self/Kick start
Transmission  Clutch Type	Multiplate Wet Clutch
No. of Gears	5 Gears
Tyres & Brakes	
Tyre Size & Type (Front)	80/100-18M/C 47P, Tubeless
	100/80-18M/C 53P, Tubeless
Tyre Size & Type (Rear)	Disc - 240 mm
<u> </u>	Drum - 130 mm
Brake Type & Size (Front)	Drum - 130 mm
Brake Type & Size (Front)	Drum - 130 mm
Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions	
Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions  Frame Type	Diamond Type Telescopic
Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions  Frame Type  Front Suspension	Diamond Type
Tyre Size & Type (Rear)  Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions  Frame Type  Front Suspension  Rear Suspension	Diamond Type Telescopic
Frame Type Front Suspension Rear Suspension	Diamond Type Telescopic

### Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India **GS Dream Honda** 72/8, Chak Raghunath Prayagraj Tel: 9415344758

#### For more details:

Visit us at: www.honda2wheelersindia.com | Customer Care: customercare@honda.hmsi.in



+The technical specifications and design of the vehicles may vary according to the requirements and conditions without any notice. Product shown in the picture may vary from the actual product available in the market. Accessories shown in the picture are not part of the standard equipment. All features and colours may not be part of all variants. \*Conditions apply